The information contained in this document is proprietary and confidential. Any disclosure, reproduction, distribution, or other dissemination of this information outside of Pfizer, its Affiliates, its Licensees, or Regulatory Agencies is strictly prohibited. Except as may be otherwise agreed to in writing, by accepting or reviewing these materials, you agree to hold such information in confidence and not to disclose it to others (except where required by applicable law), nor to use it for unauthorized purposes.

The number of adverse events listed remained numerous. One notable condition found in Pfizer's data is 1p36 deletion syndrome, which the National Library of Medicine describes as "a disorder that typically causes severe intellectual disability." They also point out the severity of the disease, noting that "most affected individuals do not speak, or speak only a few words" and "may have temper tantrums, bite themselves, or exhibit other behavior problems."

The "Adverse Events of Special Interest" identified from pages 30-38 can be found below:

APPENDIX 1. LIST OF ADVERSE EVENTS OF SPECIAL INTEREST

1p36 deletion syndrome;2-Hydroxyglutaric aciduria;5'nucleotidase increased;Acoustic
neuritis;Acquired C1 inhibitor deficiency;Acquired epidermolysis bullosa;Acquired epileptic
aphasia;Acute cutaneous lupus erythematosus;Acute disseminated encephalomyelitis;Acute
encephalitis with refractory, repetitive partial seizures;Acute febrile neutrophilic dermatosis;Acute flaccid myelitis;Acute haemorrhagic leukoencephalitis;Acute haemorrhagic oedema of infancy;Acute kidney injury;Acute macular outer retinopathy;Acute
motor axonal neuropathy;Acute motor-sensory axonal neuropathy;Acute myocardial
infarction;Acute respiratory distress syndrome;Acute respiratory failure;Addison's
disease;Administration site thrombosis;Administration site vasculitis;Adrenal thrombosis;Adverse event following immunisation;Ageusia;Agranulocytosis;Air embolism;Alanine aminotransferase abnormal;Alanine aminotransferase increased;Alcoholic
seizure;Allergic bronchopulmonary mycosis;Allergic oedema;Alloimmune hepatitis;Alopecia areata;Alpers disease;Alveolar proteinosis;Ammonia abnormal;Ammonia
increased;Amniotic cavity infection;Amygdalohippocampectomy;Amyloid arthropathy;Amyloidosis;Amyloidosis senile;Anaphylactic reaction;Anaphylactic shock;Anaphylactic transfusion reaction;Anaphylactoid reaction;Anaphylactoid

shock;Anaphylactoid syndrome of pregnancy;Angioedema;Angiopathic neuropathy;Ankylosing spondylitis;Anosmia;Antiacetylcholine receptor antibody positive;Anti-actin antibody positive;Anti-aquaporin-4 antibody positive;Anti-basal ganglia
antibody positive;Anti-cyclic citrullinated peptide antibody positive;Anti-epithelial antibody
positive;Anti-erythrocyte antibody positive;Anti-exosome complex antibody positive;AntiGAD antibody negative;Anti-GAD antibody positive;Anti-ganglioside antibody
positive;Antigliadin antibody positive;Anti-glomerular basement membrane antibody
positive;Anti-glomerular basement membrane disease;Anti-glycyl-tRNA synthetase antibody
positive;Anti-HLA antibody test positive;Anti-IA2 antibody positive;Anti-insulin antibody
increased;Anti-insulin antibody positive;Anti-insulin receptor antibody increased;Antiinsulin receptor antibody positive;Anti-interferon antibody negative;Anti-interferon antibody
positive;Anti-islet cell antibody positive;Antimitochondrial antibody positive;Anti-muscle
specific kinase antibody positive;Anti-myelin-associated glycoprotein antibodies positive;Anti-myelin-associated glycoprotein associated polyneuropathy;Antimyocardial
antibody positive;Anti-neuronal antibody positive;Antineutrophil cytoplasmic antibody
increased;Antineutrophil cytoplasmic antibody positive;Anti-neutrophil cytoplasmic
antibody positive vasculitis;Anti-NMDA antibody positive;Antinuclear antibody increased;Antinuclear antibody positive;Antiphospholipid antibodies positive;Antiphospholipid syndrome;Anti-platelet antibody positive;Anti-prothrombin
antibody positive;Antiribosomal P antibody positive;Anti-RNA polymerase III antibody
positive;Anti-saccharomyces cerevisiae antibody test positive;Anti-sperm antibody
positive;Anti-SRP antibody positive;Antisynthetase syndrome;Anti-thyroid antibody
positive;Anti-transglutaminase antibody increased;Anti-VGCC antibody positive;AntiVGKC antibody positive;Anti-vimentin antibody positive;Antiviral prophylaxis;Antiviral
treatment;Anti-zinc transporter 8 antibody positive;Aortic embolus;Aortic thrombosis;Aortitis;Aplasia pure red cell;Aplastic anaemia;Application site thrombosis;Application site vasculitis;Arrhythmia;Arterial bypass occlusion;Arterial bypass
thrombosis;Arterial thrombosis;Arteriovenous fistula thrombosis;Arteriovenous graft site

stenosis;Arteriovenous graft thrombosis;Arteritis;Arteritis
coronary;Arthralgia;Arthritis;Arthritis enteropathic;Ascites;Aseptic cavernous sinus
thrombosis;Aspartate aminotransferase abnormal;Aspartate aminotransferase
increased;Aspartate-glutamate-transporter deficiency;AST to platelet ratio index
increased;AST/ALT ratio abnormal;Asthma;Asymptomatic
COVID19;Ataxia;Atheroembolism;Atonic seizures;Atrial thrombosis;Atrophic thyroiditis;Atypical
benign partial epilepsy;Atypical pneumonia;Aura;Autoantibody positive;Autoimmune
anaemia;Autoimmune aplastic anaemia;Autoimmune arthritis;Autoimmune blistering
disease;Autoimmune cholangitis;Autoimmune colitis;Autoimmune demyelinating
disease;Autoimmune dermatitis;Autoimmune disorder;Autoimmune
encephalopathy;Autoimmune endocrine disorder;Autoimmune enteropathy;Autoimmune eye
disorder;Autoimmune haemolytic anaemia;Autoimmune heparin-induced
thrombocytopenia;Autoimmune hepatitis;Autoimmune hyperlipidaemia;Autoimmune
hypothyroidism;Autoimmune inner ear disease;Autoimmune lung disease;Autoimmune
lymphoproliferative syndrome;Autoimmune myocarditis;Autoimmune myositis;Autoimmune
nephritis;Autoimmune neuropathy;Autoimmune neutropenia;Autoimmune
pancreatitis;Autoimmune pancytopenia;Autoimmune pericarditis;Autoimmune
retinopathy;Autoimmune thyroid disorder;Autoimmune thyroiditis;Autoimmune
uveitis;Autoinflammation with infantile enterocolitis;Autoinflammatory disease;Automatism
epileptic;Autonomic nervous system imbalance;Autonomic seizure;Axial
spondyloarthritis;Axillary vein thrombosis;Axonal and demyelinating
polyneuropathy;Axonal neuropathy;Bacterascites;Baltic myoclonic epilepsy;Band
sensation;Basedow’s disease;Basilar artery thrombosis;Basophilopenia;B-cell
aplasia;Behcet’s syndrome;Benign ethnic neutropenia;Benign familial neonatal
convulsions;Benign familial pemphigus;Benign rolandic epilepsy;Beta-2 glycoprotein
antibody positive;Bickerstaff’s encephalitis;Bile output abnormal;Bile output
decreased;Biliary ascites;Bilirubin conjugated abnormal;Bilirubin conjugated
increased;Bilirubin urine present;Biopsy liver abnormal;Biotinidase deficiency;Birdshot
chorioretinopathy;Blood alkaline phosphatase abnormal;Blood alkaline phosphatase
increased;Blood bilirubin abnormal;Blood bilirubin increased;Blood bilirubin unconjugated
increased;Blood cholinesterase abnormal;Blood cholinesterase decreased;Blood pressure

decreased;Blood pressure diastolic decreased;Blood pressure systolic decreased;Blue toe
syndrome;Brachiocephalic vein thrombosis;Brain stem embolism;Brain stem thrombosis;Bromosulphthalein test abnormal;Bronchial
oedema;Bronchitis;Bronchitis
mycoplasmal;Bronchitis viral;Bronchopulmonary aspergillosis
allergic;Bronchospasm;BuddChiari syndrome;Bulbar palsy;Butterfly rash;C1q nephropathy;Caesarean section;Calcium
embolism;Capillaritis;Caplan's syndrome;Cardiac amyloidosis;Cardiac arrest;Cardiac
failure;Cardiac failure acute;Cardiac sarcoidosis;Cardiac ventricular thrombosis;Cardiogenic
shock;Cardiolipin antibody positive;Cardiopulmonary failure;Cardio-respiratory arrest;Cardio-respiratory distress;Cardiovascular insufficiency;Carotid arterial embolus;Carotid artery thrombosis;Cataplexy;Catheter site
thrombosis;Catheter site
vasculitis;Cavernous sinus thrombosis;CDKL5 deficiency disorder;CEC syndrome;Cement
embolism;Central nervous system lupus;Central nervous system vasculitis;Cerebellar artery
thrombosis;Cerebellar embolism;Cerebral amyloid angiopathy;Cerebral arteritis;Cerebral
artery embolism;Cerebral artery thrombosis;Cerebral gas embolism;Cerebral microembolism;Cerebral septic infarct;Cerebral thrombosis;Cerebral venous sinus
thrombosis;Cerebral venous thrombosis;Cerebrospinal thrombotic tamponade;Cerebrovascular accident;Change in seizure presentation;Chest discomfort;ChildPugh-Turcotte score abnormal;Child-Pugh-Turcotte score increased;Chillblains;Choking;Choking sensation;Cholangitis sclerosing;Chronic autoimmune glomerulonephritis;Chronic cutaneous lupus erythematosus;Chronic fatigue
syndrome;Chronic gastritis;Chronic inflammatory demyelinating polyradiculoneuropathy;Chronic lymphocytic inflammation with pontine perivascular
enhancement responsive to steroids;Chronic recurrent multifocal osteomyelitis;Chronic
respiratory failure;Chronic spontaneous urticaria;Circulatory collapse;Circumoral oedema;Circumoral swelling;Clinically isolated syndrome;Clonic convulsion;Coeliac
disease;Cogan's syndrome;Cold agglutinins positive;Cold type haemolytic anaemia;Colitis;Colitis erosive;Colitis herpes;Colitis microscopic;Colitis ulcerative;Collagen
disorder;Collagen-vascular disease;Complement factor abnormal;Complement factor C1
decreased;Complement factor C2 decreased;Complement factor C3 decreased;Complement

factor C4 decreased;Complement factor decreased;Computerised tomogram liver
abnormal;Concentric sclerosis;Congenital anomaly;Congenital bilateral perisylvian
syndrome;Congenital herpes simplex infection;Congenital myasthenic syndrome;Congenital
varicella infection;Congestive hepatopathy;Convulsion in childhood;Convulsions local;Convulsive threshold lowered;Coombs positive haemolytic anaemia;Coronary artery
disease;Coronary artery embolism;Coronary artery thrombosis;Coronary bypass thrombosis;Coronavirus infection;Coronavirus test;Coronavirus test negative;Coronavirus
test positive;Corpus callosotomy;Cough;Cough variant asthma;COVID-19;COVID-19
immunisation;COVID-19 pneumonia;COVID-19 prophylaxis;COVID-19 treatment;Cranial
nerve disorder;Cranial nerve palsies multiple;Cranial nerve paralysis;CREST syndrome;Crohn’s disease;Cryofibrinogenaemia;Cryoglobulinaemia;CSF oligoclonal band
present;CSWS syndrome;Cutaneous amyloidosis;Cutaneous lupus erythematosus;Cutaneous
sarcoidosis;Cutaneous vasculitis;Cyanosis;Cyclic neutropenia;Cystitis interstitial;Cytokine
release syndrome;Cytokine storm;De novo purine synthesis inhibitors associated acute
inflammatory syndrome;Death neonatal;Deep vein thrombosis;Deep vein thrombosis
postoperative;Deficiency of bile secretion;Deja vu;Demyelinating polyneuropathy;Demyelination;Dermatitis;Dermatitis bullous;Dermatitis herpetiformis;Dermatomyositis;Device embolisation;Device related thrombosis;Diabetes
mellitus;Diabetic ketoacidosis;Diabetic mastopathy;Dialysis amyloidosis;Dialysis membrane
reaction;Diastolic hypotension;Diffuse vasculitis;Digital pitting scar;Disseminated
intravascular coagulation;Disseminated intravascular coagulation in newborn;Disseminated
neonatal herpes simplex;Disseminated varicella;Disseminated varicella zoster vaccine virus
infection;Disseminated varicella zoster virus infection;DNA antibody positive;Double cortex
syndrome;Double stranded DNA antibody positive;Dreamy state;Dressler’s syndrome;Drop
attacks;Drug withdrawal convulsions;Dyspnoea;Early infantile epileptic encephalopathy with
burst-suppression;Eclampsia;Eczema herpeticum;Embolia cutis

medicamentosa;Embolic
cerebellar infarction;Embolic cerebral infarction;Embolic pneumonia;Embolic
stroke;Embolism;Embolism arterial;Embolism venous;Encephalitis;Encephalitis
allergic;Encephalitis autoimmune;Encephalitis brain stem;Encephalitis
haemorrhagic;Encephalitis periaxialis diffusa;Encephalitis post
immunisation;Encephalomyelitis;Encephalopathy;Endocrine disorder;Endocrine
ophthalmopathy;Endotracheal intubation;Enteritis;Enteritis
leukopenic;Enterobacter
pneumonia;Enterocolitis;Enteropathic spondylitis;Eosinopenia;Eosinophilic
fasciitis;Eosinophilic granulomatosis with polyangiitis;Eosinophilic
oesophagitis;Epidermolysis;Epilepsy;Epilepsy surgery;Epilepsy with
myoclonic-atonic
seizures;Epileptic aura;Epileptic psychosis;Erythema;Erythema
induratum;Erythema
multiforme;Erythema nodosum;Evans syndrome;Exanthema subitum;Expanded
disability
status scale score decreased;Expanded disability status scale score
increased;Exposure to
communicable disease;Exposure to SARS-CoV-2;Eye oedema;Eye pruritus;Eye
swelling;Eyelid oedema;Face oedema;Facial paralysis;Facial
paresis;Faciobrachial dystonic
seizure;Fat embolism;Febrile convulsion;Febrile infection-related epilepsy
syndrome;Febrile
neutropenia;Felty’s syndrome;Femoral artery embolism;Fibrillary
glomerulonephritis;Fibromyalgia;Flushing;Foaming at mouth;Focal cortical
resection;Focal
dyscognitive seizures;Foetal distress syndrome;Foetal placental
thrombosis;Foetor
hepaticus;Foreign body embolism;Frontal lobe epilepsy;Fulminant type 1
diabetes
mellitus;Galactose elimination capacity test abnormal;Galactose elimination
capacity test
decreased;Gamma-glutamyltransferase abnormal;Gamma-glutamyltransferase
increased;Gastritis herpes;Gastrointestinal amyloidosis;Gelastic
seizure;Generalised onset
non-motor seizure;Generalised tonic-clonic seizure;Genital herpes;Genital
herpes
simplex;Genital herpes zoster;Giant cell
arteritis;Glomerulonephritis;Glomerulonephritis
membranoproliferative;Glomerulonephritis membranous;Glomerulonephritis
rapidly
progressive;Glossopharyngeal nerve paralysis;Glucose transporter type 1
deficiency
syndrome;Glutamate dehydrogenase increased;Glycocholic acid increased;GM2
gangliosidosis;Goodpasture’s syndrome;Graft
thrombosis;Granulocytopenia;Granulocytopenia neonatal;Granulomatosis with

polyangiitis;Granulomatous dermatitis;Grey matter heterotopia;Guanase increased;GuillainBarre syndrome;Haemolytic anaemia;Haemophagocytic lymphohistiocytosis;Haemorrhage;Haemorrhagic ascites;Haemorrhagic disorder;Haemorrhagic pneumonia;Haemorrhagic varicella syndrome;Haemorrhagic
vasculitis;Hantavirus pulmonary infection;Hashimoto's encephalopathy;Hashitoxicosis;Hemimegalencephaly;Henoch-Schonlein purpura;HenochSchonlein purpura nephritis;Hepaplastin abnormal;Hepaplastin decreased;Heparin-induced
thrombocytopenia;Hepatic amyloidosis;Hepatic artery embolism;Hepatic artery flow
decreased;Hepatic artery thrombosis;Hepatic enzyme abnormal;Hepatic enzyme decreased;Hepatic enzyme increased;Hepatic fibrosis marker abnormal;Hepatic fibrosis
marker increased;Hepatic function abnormal;Hepatic hydrothorax;Hepatic hypertrophy;Hepatic hypoperfusion;Hepatic lymphocytic infiltration;Hepatic mass;Hepatic
pain;Hepatic sequestration;Hepatic vascular resistance increased;Hepatic vascular
thrombosis;Hepatic vein embolism;Hepatic vein thrombosis;Hepatic venous pressure
gradient abnormal;Hepatic venous pressure gradient
increased;Hepatitis;Hepatobiliary scan
abnormal;Hepatomegaly;Hepatosplenomegaly;Hereditary angioedema with C1 esterase
inhibitor deficiency;Herpes dermatitis;Herpes gestationis;Herpes oesophagitis;Herpes
ophthalmic;Herpes pharyngitis;Herpes sepsis;Herpes simplex;Herpes simplex cervicitis;Herpes simplex colitis;Herpes simplex encephalitis;Herpes simplex gastritis;Herpes
simplex hepatitis;Herpes simplex meningitis;Herpes simplex meningoencephalitis;Herpes
simplex meningomyelitis;Herpes simplex necrotising retinopathy;Herpes simplex
oesophagitis;Herpes simplex otitis externa;Herpes simplex pharyngitis;Herpes simplex
pneumonia;Herpes simplex reactivation;Herpes simplex sepsis;Herpes simplex viraemia;Herpes simplex virus conjunctivitis neonatal;Herpes simplex
visceral;Herpes virus infection;Herpes zoster;Herpes zoster cutaneous disseminated;Herpes zoster infection
neurological;Herpes zoster meningitis;Herpes zoster meningoencephalitis;Herpes zoster
meningomyelitis;Herpes zoster meningoradiculitis;Herpes zoster necrotising retinopathy;Herpes zoster oticus;Herpes zoster pharyngitis;Herpes zoster reactivation;Herpetic radiculopathy;Histone antibody positive;Hoigne's syndrome;Human

herpesvirus 6 encephalitis;Human herpesvirus 6 infection;Human herpesvirus 6 infection
reactivation;Human herpesvirus 7 infection;Human herpesvirus 8
infection;Hyperammonaemia;Hyperbilirubinaemia;Hypercholia;Hypergammaglo bulinaemia
benign monoclonal;Hyperglycaemic seizure;Hypersensitivity;Hypersensitivity
vasculitis;Hyperthyroidism;Hypertransaminasaemia;Hyperventilation;Hypoalbu minaemia;H
ypocalcaemic seizure;Hypogammaglobulinaemia;Hypoglossal nerve paralysis;Hypoglossal
nerve paresis;Hypoglycaemic seizure;Hyponatraemic
seizure;Hypotension;Hypotensive
crisis;Hypothenar hammer syndrome;Hypothyroidism;Hypoxia;Idiopathic CD4
lymphocytopenia;Idiopathic generalised epilepsy;Idiopathic interstitial pneumonia;Idiopathic
neutropenia;Idiopathic pulmonary fibrosis;IgA nephropathy;IgM nephropathy;IIIrd nerve
paralysis;IIIrd nerve paresis;Iliac artery embolism;Immune
thrombocytopenia;Immunemediated adverse reaction;Immune-mediated cholangitis;Immune-mediated
cholestasis;Immune-mediated cytopenia;Immune-mediated encephalitis;Immune-mediated
encephalopathy;Immune-mediated endocrinopathy;Immune-mediated
enterocolitis;Immunemediated gastritis;Immune-mediated hepatic disorder;Immune-mediated hepatitis;Immunemediated
hyperthyroidism;Immune-mediated hypothyroidism;Immune-mediated
myocarditis;Immune-mediated myositis;Immune-mediated nephritis;Immune-mediated
neuropathy;Immune-mediated pancreatitis;Immune-mediated pneumonitis;Immune-mediated
renal disorder;Immune-mediated thyroiditis;Immune-mediated uveitis;Immunoglobulin G4
related disease;Immunoglobulins abnormal;Implant site thrombosis;Inclusion body
myositis;Infantile genetic agranulocytosis;Infantile spasms;Infected vasculitis;Infective
thrombosis;Inflammation;Inflammatory bowel disease;Infusion site thrombosis;Infusion site
vasculitis;Injection site thrombosis;Injection site urticaria;Injection site vasculitis;Instillation
site thrombosis;Insulin autoimmune syndrome;Interstitial granulomatous
dermatitis;Interstitial lung disease;Intracardiac mass;Intracardiac thrombus;Intracranial
pressure increased;Intrapericardial thrombosis;Intrinsic factor antibody abnormal;Intrinsic
factor antibody positive;IPEX syndrome;Irregular breathing;IRVAN

syndrome;IVth nerve
paralysis;IVth nerve paresis;JC polyomavirus test positive;JC virus CSF test positive;Jeavons
syndrome;Jugular vein embolism;Jugular vein thrombosis;Juvenile idiopathic arthritis;Juvenile myoclonic epilepsy;Juvenile polymyositis;Juvenile psoriatic arthritis;Juvenile spondyloarthritis;Kaposi sarcoma inflammatory cytokine syndrome;Kawasaki's disease;Kayser-Fleischer ring;Keratoderma blenorrhagica;Ketosisprone diabetes mellitus;Kounis syndrome;Lafora's myoclonic epilepsy;Lambl's
excrescences;Laryngeal dyspnoea;Laryngeal oedema;Laryngeal rheumatoid arthritis;Laryngospasm;Laryngotracheal oedema;Latent autoimmune diabetes in adults;LE
cells present;Lemierre syndrome;Lennox-Gastaut syndrome;Leucine aminopeptidase
increased;Leukoencephalomyelitis;Leukoencephalopathy;Leukopenia;Leukopeni a
neonatal;Lewis-Sumner syndrome;Lhermitte's sign;Lichen planopilaris;Lichen planus;Lichen
sclerosus;Limbic encephalitis;Linear IgA disease;Lip oedema;Lip swelling;Liver function
test abnormal;Liver function test decreased;Liver function test increased;Liver induration;Liver injury;Liver iron concentration abnormal;Liver iron concentration increased;Liver opacity;Liver palpable;Liver sarcoidosis;Liver scan abnormal;Liver
tenderness;Low birth weight baby;Lower respiratory tract herpes infection;Lower respiratory
tract infection;Lower respiratory tract infection viral;Lung abscess;Lupoid hepatic
cirrhosis;Lupus cystitis;Lupus encephalitis;Lupus endocarditis;Lupus enteritis;Lupus
hepatitis;Lupus myocarditis;Lupus myositis;Lupus nephritis;Lupus pancreatitis;Lupus
pleurisy;Lupus pneumonitis;Lupus vasculitis;Lupus-like syndrome;Lymphocytic hypophysitis;Lymphocytopenia neonatal;Lymphopenia;MAGIC syndrome;Magnetic
resonance imaging liver abnormal;Magnetic resonance proton density fat fraction
measurement;Mahler sign;Manufacturing laboratory analytical testing issue;Manufacturing
materials issue;Manufacturing production issue;Marburg's variant multiple sclerosis;Marchiafava-Bignami disease;Marine Lenhart syndrome;Mastocytic enterocolitis;Maternal exposure during pregnancy;Medical device site thrombosis;Medical
device site vasculitis;MELAS syndrome;Meningitis;Meningitis aseptic;Meningitis herpes;Meningoencephalitis herpes simplex neonatal;Meningoencephalitis herpetic;Meningomyelitis herpes;MERS-CoV test;MERS-CoV test

negative;MERS-CoV test
positive;Mesangioproliferative glomerulonephritis;Mesenteric artery embolism;Mesenteric
artery thrombosis;Mesenteric vein thrombosis;Metapneumovirus infection;Metastatic
cutaneous Crohn's disease;Metastatic pulmonary
embolism;Microangiopathy;Microembolism;Microscopic polyangiitis;Middle East
respiratory syndrome;Migraine-triggered seizure;Miliary pneumonia;Miller Fisher
syndrome;Mitochondrial aspartate aminotransferase increased;Mixed connective tissue
disease;Model for end stage liver disease score abnormal;Model for end stage liver disease
score increased;Molar ratio of total branched-chain amino acid to tyrosine;Molybdenum
cofactor deficiency;Monocytopenia;Mononeuritis;Mononeuropathy
multiplex;Morphoea;Morvan syndrome;Mouth swelling;Moyamoya disease;Multifocal
motor neuropathy;Multiple organ dysfunction syndrome;Multiple sclerosis;Multiple sclerosis
relapse;Multiple sclerosis relapse prophylaxis;Multiple subpial transection;Multisystem
inflammatory syndrome in children;Muscular sarcoidosis;Myasthenia gravis;Myasthenia
gravis crisis;Myasthenia gravis neonatal;Myasthenic syndrome;Myelitis;Myelitis
transverse;Myocardial infarction;Myocarditis;Myocarditis post infection;Myoclonic
epilepsy;Myoclonic epilepsy and ragged-red
fibres;Myokymia;Myositis;Narcolepsy;Nasal
herpes;Nasal obstruction;Necrotising herpetic retinopathy;Neonatal Crohn's disease;Neonatal
epileptic seizure;Neonatal lupus erythematosus;Neonatal mucocutaneous herpes
simplex;Neonatal pneumonia;Neonatal seizure;Nephritis;Nephrogenic systemic
fibrosis;Neuralgic amyotrophy;Neuritis;Neuritis cranial;Neuromyelitis optica pseudo
relapse;Neuromyelitis optica spectrum disorder;Neuromyotonia;Neuronal
neuropathy;Neuropathy peripheral;Neuropathy, ataxia, retinitis pigmentosa
syndrome;Neuropsychiatric lupus;Neurosarcoidosis;Neutropenia;Neutropenia
neonatal;Neutropenic colitis;Neutropenic infection;Neutropenic sepsis;Nodular rash;Nodular
vasculitis;Noninfectious myelitis;Noninfective encephalitis;Noninfective
encephalomyelitis;Noninfective oophoritis;Obstetrical pulmonary embolism;Occupational
exposure to communicable disease;Occupational exposure to SARS-CoV-2;Ocular
hyperaemia;Ocular myasthenia;Ocular pemphigoid;Ocular sarcoidosis;Ocular

vasculitis;Oculofacial paralysis;Oedema;Oedema blister;Oedema due to hepatic disease;Oedema mouth;Oesophageal achalasia;Ophthalmic artery thrombosis;Ophthalmic
herpes simplex;Ophthalmic herpes zoster;Ophthalmic vein thrombosis;Optic neuritis;Optic neuropathy;Optic perineuritis;Oral herpes;Oral lichen planus;Oropharyngeal
oedema;Oropharyngeal spasm;Oropharyngeal swelling;Osmotic demyelination syndrome;Ovarian vein thrombosis;Overlap syndrome;Paediatric autoimmune neuropsychiatric disorders associated with streptococcal
infection;Paget-Schroetter
syndrome;Palindromic rheumatism;Palisaded neutrophilic granulomatous dermatitis;Palmoplantar keratoderma;Palpable
purpura;Pancreatitis;Panencephalitis;Papillophlebitis;Paracancerous pneumonia;Paradoxical
embolism;Parainfluenzae viral laryngotracheobronchitis;Paraneoplastic dermatomyositis;Paraneoplastic pemphigus;Paraneoplastic thrombosis;Paresis cranial
nerve;Parietal cell antibody positive;Paroxysmal nocturnal haemoglobinuria;Partial
seizures;Partial seizures with secondary generalisation;Patient isolation;Pelvic venous
thrombosis;Pemphigoid;Pemphigus;Penile vein
thrombosis;Pericarditis;Pericarditis
lupus;Perihepatic discomfort;Periorbital oedema;Periorbital swelling;Peripheral artery
thrombosis;Peripheral embolism;Peripheral ischaemia;Peripheral vein thrombus extension;Periportal oedema;Peritoneal fluid protein abnormal;Peritoneal fluid protein
decreased;Peritoneal fluid protein increased;Peritonitis lupus;Pernicious anaemia;Petit mal
epilepsy;Pharyngeal oedema;Pharyngeal swelling;Pityriasis lichenoides et varioliformis
acuta;Placenta praevia;Pleuroparenchymal
fibroelastosis;Pneumobilia;Pneumonia;Pneumonia
adenoviral;Pneumonia cytomegaloviral;Pneumonia herpes viral;Pneumonia influenzal;Pneumonia measles;Pneumonia mycoplasmal;Pneumonia necrotising;Pneumonia
parainfluenzae viral;Pneumonia respiratory syncytial viral;Pneumonia viral;POEMS
syndrome;Polyarteritis nodosa;Polyarthritis;Polychondritis;Polyglandular autoimmune
syndrome type I;Polyglandular autoimmune syndrome type II;Polyglandular autoimmune
syndrome type III;Polyglandular disorder;Polymicrogyria;Polymyalgia rheumatica;Polymyositis;Polyneuropathy;Polyneuropathy idiopathic progressive;Portal

pyaemia;Portal vein embolism;Portal vein flow decreased;Portal vein pressure increased;Portal vein thrombosis;Portosplenomesenteric venous thrombosis;Post procedural
hypotension;Post procedural pneumonia;Post procedural pulmonary embolism;Post stroke
epilepsy;Post stroke seizure;Post thrombotic retinopathy;Post thrombotic syndrome;Post viral
fatigue syndrome;Postictal headache;Postictal paralysis;Postictal psychosis;Postictal
state;Postoperative respiratory distress;Postoperative respiratory failure;Postoperative
thrombosis;Postpartum thrombosis;Postpartum venous thrombosis;Postpericardiotomy
syndrome;Post-traumatic epilepsy;Postural orthostatic tachycardia syndrome;Precerebral
artery thrombosis;Pre-eclampsia;Preictal state;Premature labour;Premature menopause;Primary amyloidosis;Primary biliary cholangitis;Primary progressive multiple
sclerosis;Procedural shock;Proctitis herpes;Proctitis ulcerative;Product availability
issue;Product distribution issue;Product supply issue;Progressive facial hemiatrophy;Progressive multifocal leukoencephalopathy;Progressive multiple sclerosis;Progressive relapsing multiple sclerosis;Prosthetic cardiac valve thrombosis;Pruritus;Pruritus allergic;Pseudovasculitis;Psoriasis;Psoriatic arthropathy;Pulmonary amyloidosis;Pulmonary artery thrombosis;Pulmonary embolism;Pulmonary fibrosis;Pulmonary haemorrhage;Pulmonary microemboli;Pulmonary
oil microembolism;Pulmonary renal syndrome;Pulmonary sarcoidosis;Pulmonary sepsis;Pulmonary thrombosis;Pulmonary tumour thrombotic microangiopathy;Pulmonary
vasculitis;Pulmonary veno-occlusive disease;Pulmonary venous thrombosis;Pyoderma
gangrenosum;Pyostomatitis vegetans;Pyrexia;Quarantine;Radiation leukopenia;Radiculitis brachial;Radiologically isolated syndrome;Rash;Rash erythematous;Rash pruritic;Rasmussen
encephalitis;Raynaud’s phenomenon;Reactive capillary endothelial proliferation;Relapsing
multiple sclerosis;Relapsing-remitting multiple sclerosis;Renal amyloidosis;Renal
arteritis;Renal artery thrombosis;Renal embolism;Renal failure;Renal vascular thrombosis;Renal vasculitis;Renal vein embolism;Renal vein thrombosis;Respiratory
arrest;Respiratory disorder;Respiratory distress;Respiratory failure;Respiratory paralysis;Respiratory syncytial virus bronchiolitis;Respiratory syncytial virus bronchitis;Retinal artery embolism;Retinal artery occlusion;Retinal artery thrombosis;Retinal

vascular thrombosis;Retinal vasculitis;Retinal vein occlusion;Retinal vein thrombosis;Retinol
binding protein decreased;Retinopathy;Retrograde portal vein flow;Retroperitoneal
fibrosis;Reversible airways obstruction;Reynold's syndrome;Rheumatic brain disease;Rheumatic disorder;Rheumatoid arthritis;Rheumatoid factor increased;Rheumatoid
factor positive;Rheumatoid factor quantitative increased;Rheumatoid lung;Rheumatoid
neutrophilic dermatosis;Rheumatoid nodule;Rheumatoid nodule removal;Rheumatoid
scleritis;Rheumatoid vasculitis;Saccadic eye movement;SAPHO syndrome;Sarcoidosis;SARS-CoV-1 test;SARS-CoV-1 test negative;SARS-CoV-1 test
positive;SARS-CoV-2 antibody test;SARS-CoV-2 antibody test negative;SARS-CoV-2
antibody test positive;SARS-CoV-2 carrier;SARS-CoV-2 sepsis;SARS-CoV-2 test;SARSCoV-2 test false negative;SARS-CoV-2 test false positive;SARS-CoV-2 test negative;SARSCoV-2 test positive;SARS-CoV-2 viraemia;Satoyoshi syndrome;Schizencephaly;Scleritis;Sclerodactylia;Scleroderma;Scleroderma associated
digital ulcer;Scleroderma renal crisis;Scleroderma-like reaction;Secondary amyloidosis;Secondary cerebellar degeneration;Secondary progressive multiple sclerosis;Segmented hyalinising vasculitis;Seizure;Seizure anoxic;Seizure cluster;Seizure
like phenomena;Seizure prophylaxis;Sensation of foreign body;Septic embolus;Septic
pulmonary embolism;Severe acute respiratory syndrome;Severe myoclonic epilepsy of
infancy;Shock;Shock symptom;Shrinking lung syndrome;Shunt thrombosis;Silent
thyroiditis;Simple partial seizures;Sjogren's syndrome;Skin swelling;SLE arthritis;Smooth
muscle antibody positive;Sneezing;Spinal artery embolism;Spinal artery thrombosis;Splenic
artery thrombosis;Splenic embolism;Splenic thrombosis;Splenic vein thrombosis;Spondylitis;Spondyloarthropathy;Spontaneous heparin-induced thrombocytopenia syndrome;Status epilepticus;Stevens-Johnson syndrome;Stiff leg
syndrome;Stiff person syndrome;Stillbirth;Still's disease;Stoma site thrombosis;Stoma site
vasculitis;Stress cardiomyopathy;Stridor;Subacute cutaneous lupus erythematosus;Subacute
endocarditis;Subacute inflammatory demyelinating polyneuropathy;Subclavian artery
embolism;Subclavian artery thrombosis;Subclavian vein thrombosis;Sudden

unexplained
death in epilepsy;Superior sagittal sinus thrombosis;Susac's
syndrome;Suspected COVID19;Swelling;Swelling face;Swelling of
eyelid;Swollen tongue;Sympathetic
ophthalmia;Systemic lupus erythematosus;Systemic lupus erythematosus
disease activity
index abnormal;Systemic lupus erythematosus disease activity index
decreased;Systemic
lupus erythematosus disease activity index increased;Systemic lupus
erythematosus
rash;Systemic scleroderma;Systemic sclerosis
pulmonary;Tachycardia;Tachypnoea;Takayasu's arteritis;Temporal lobe
epilepsy;Terminal
ileitis;Testicular autoimmunity;Throat tightness;Thromboangiitis
obliterans;Thrombocytopenia;Thrombocytopenic
purpura;Thrombophlebitis;Thrombophlebitis migrans;Thrombophlebitis
neonatal;Thrombophlebitis septic;Thrombophlebitis superficial;Thromboplastin
antibody
positive;Thrombosis;Thrombosis corpora cavernosa;Thrombosis in
device;Thrombosis
mesenteric vessel;Thrombotic cerebral infarction;Thrombotic
microangiopathy;Thrombotic
stroke;Thrombotic thrombocytopenic purpura;Thyroid disorder;Thyroid
stimulating
immunoglobulin increased;Thyroiditis;Tongue amyloidosis;Tongue
biting;Tongue
oedema;Tonic clonic movements;Tonic convulsion;Tonic
posturing;Topectomy;Total bile
acids increased;Toxic epidermal necrolysis;Toxic leukoencephalopathy;Toxic oil
syndrome;Tracheal obstruction;Tracheal
oedema;Tracheobronchitis;Tracheobronchitis
mycoplasmal;Tracheobronchitis viral;Transaminases abnormal;Transaminases
increased;Transfusion-related alloimmune neutropenia;Transient epileptic
amnesia;Transverse sinus thrombosis;Trigeminal nerve paresis;Trigeminal
neuralgia;Trigeminal palsy;Truncus coeliacus thrombosis;Tuberous sclerosis
complex;Tubulointerstitial nephritis and uveitis syndrome;Tumefactive multiple
sclerosis;Tumour embolism;Tumour thrombosis;Type 1 diabetes mellitus;Type I
hypersensitivity;Type III immune complex mediated reaction;Uhthoff's
phenomenon;Ulcerative keratitis;Ultrasound liver abnormal;Umbilical cord
thrombosis;Uncinate fits;Undifferentiated connective tissue disease;Upper
airway
obstruction;Urine bilirubin increased;Urobilinogen urine decreased;Urobilinogen
urine
increased;Urticaria;Urticaria papular;Urticarial vasculitis;Uterine
rupture;Uveitis;Vaccination site thrombosis;Vaccination site vasculitis;Vagus
nerve

paralysis;Varicella;Varicella keratitis;Varicella post vaccine;Varicella zoster gastritis;Varicella zoster oesophagitis;Varicella zoster pneumonia;Varicella zoster
sepsis;Varicella zoster virus infection;Vasa praevia;Vascular graft thrombosis;Vascular
pseudoaneurysm thrombosis;Vascular purpura;Vascular stent thrombosis;Vasculitic
rash;Vasculitic ulcer;Vasculitis;Vasculitis gastrointestinal;Vasculitis necrotising;Vena cava
embolism;Vena cava thrombosis;Venous intravasation;Venous recanalisation;Venous
thrombosis;Venous thrombosis in pregnancy;Venous thrombosis limb;Venous thrombosis
neonatal;Vertebral artery thrombosis;Vessel puncture site thrombosis;Visceral venous
thrombosis;VIth nerve paralysis;VIth nerve paresis;Vitiligo;Vocal cord paralysis;Vocal cord
paresis;Vogt-Koyanagi-Harada disease;Warm type haemolytic anaemia;Wheezing;White
nipple sign;XIth nerve paralysis;X-ray hepatobiliary abnormal;Young’s syndrome;Zika virus
associated Guillain Barre syndrome.